TOYOTA
HILUX DOUBLE CAB



LEGENDARY TOUGHNESS

Issued on: 2026/11/01

SPECIFICATIONS

	2.4 GD-6 RB RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6AT	2.4 GD-6 RB SR 6MT	2.4 GD-6 4x4 SR 6MT
Engine and Drivetrain					
A/T Oil Temp Warning			•		
Bore x Stroke (mm)	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0
Differential Lock	•	•	•	•	•
Displacement (cm³)	2393	2393	2393	2393	2393
Fuel System	Diesel	Diesel	Diesel	Diesel	Diesel
Maximum Power (kW @ r/min)	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400
Maximum Torque (Nm @ r/min)	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Engine capacity (litre)	2.4	2.4	2.4	2.4	2.4
Fuel Consumption (Combined Cycle) (l/100km)	7.1	7.6	7.7	7.1	7.6
C02 Emission (g/km)	187	199	202	187	199
Transmission					
Transmission	Manual-6-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Manual-6-speed
Driven Wheels	RWD	4WD Part-Time	4WD Part-Time	RWD	4WD Part-Time
Starting System	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)
Suspension					
Front	Double Wishbone	Double Wishbone	Double Wishbone	Double Wishbone	Double Wishbone
Rear	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle
Wheels and Tyres					
Spare Wheel	Full Alloy	Full Alloy	Full Alloy	Full Steel	Full Steel
Tyre Size	F:265-65R17 Alloy-R:265-65R17 Alloy	F:265-65R17 Alloy-R:265-65R17 Alloy	F:265-65R17 Alloy-R:265-65R17 Alloy	F:225-70R17C Steel-R:225-70R17C Steel	F:225-70R17C Steel-R:225-70R17C Steel
Body and Styling					
Door Outside Handles	Colour - Coded	Colour - Coded	Colour - Coded	Black	Black
Front Bumper	Colour Coded	Colour Coded	Colour Coded	Black	Black
Front Fog Lamps	Standard LED	Standard LED	Standard LED	Standard Halogen	Standard Halogen
Headlights	Halogen	Halogen	Halogen	Halogen	Halogen
Headlamp Levelling	Standard Manual	Standard Manual	Standard Manual	Standard Manual	Standard Manual
High-Mounted Brake Light	Standard LED	Standard LED	Standard LED	Standard LED	Standard LED
Light Control System	Auto Light Control System, Guided Exit Lighting	Auto Light Control System, Guided Exit Lighting	Auto Light Control System, Guided Exit Lighting		
Side mirrors	Black, Power, Retractable, With Indicator	Black, Power, Retractable, With Indicator	Black, Power, Retractable, With Indicator	Black, Power	Black, Power
Over-Fenders	Standard Integrated	Standard Integrated	Standard Integrated	Standard Integrated	Standard Integrated
Front Grille	Black	Black	Black	Black	Black
Rear Bumper	Black	Black	Black	Painted	Painted
Rear Lights	Bulb Type	Bulb Type	Bulb Type	Bulb Type	Bulb Type
Front side Glass	Green	Green	Green	Green	Green

Issued on: 2026/11/01

SPECIFICATIONS

	2.4 GD-6 RB RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6AT	2.4 GD-6 RB SR 6MT	2.4 GD-6 4x4 SR 6MT
Body and Styling					
Loadbox	•	•	•	•	•
Interior, Comfort and Convenience					
4WD Indicator		•	•		•
4WD Selector		Standard Switch	Standard Switch		Standard Switch
Cupholders	•	•	•	•	•
Door Inside Handles	Black	Black	Black	Black	Black
Floor Carpet Trim	Carpet	Carpet	Carpet	PVC	PVC
Front Headrest	Adjustable - 2	Adjustable - 2	Adjustable - 2	Integrated - 2	Integrated - 2
Rear View Mirror	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night
Key Reminder Warning	Standard Buzzer	Standard Buzzer	Standard Buzzer	Standard Buzzer	Standard Buzzer
Meter Illumination Control	•	•	•		
2nd Row Seats	60:40	60:40	60:40	United Folding	United Folding
Seat Trim	Fabric	Fabric	Fabric	PVC	PVC
Shift Lever & Knob	Urethane	Urethane	Urethane	Urethane	Urethane
Speedometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer
Steering Wheel	4 Spoke Urethane	4 Spoke Urethane	4 Spoke Urethane	4 Spoke Urethane	4 Spoke Urethane
Seat Back Pockets	•	•	•		
Front Personal Lamp	•	•	•	•	•
Shopping hook	Standard 2	Standard 2	Standard 2		
Centre Console	Standard Box	Standard Box	Standard Box	Standard Box	Standard Box
Cruise Control	•	•	•		
Airconditioner	Manual	Manual	Manual	Manual	Manual
Audio System	Toyota Display Audio, DAB	Toyota Display Audio, DAB	Toyota Display Audio, DAB		
Bluetooth	•	•	•		
Light Remind Warning	•	•	•	•	•
Multi-Information Display	Standard TFT	Standard TFT	Standard TFT		
Power Socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V
Power Steering	Hydraulic / Variable / Flow / Control	Hydraulic / Variable / Flow / Control	Hydraulic / Variable / Flow / Control	Hydraulic / Variable / Flow / Control	Hydraulic / Variable / Flow / Control
Electric Windows	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only
Speakers	Standard 4	Standard 4	Standard 4	Standard 4	Standard 4
Steering Column Adjustments	Manual Tilt & Telescopic	Manual Tilt & Telescopic	Manual Tilt & Telescopic	Manual Tilt & Telescopic	Manual Tilt & Telescopic
Steering Switches	Standard Audio, Telephone, Info Display, Voice Command	Standard Audio, Telephone, Info Display, Voice Command	Standard Audio, Telephone, Info Display, Voice Command	Standard Audio, Telephone, Voice Command	Standard Audio, Telephone, Voice Command

Issued on: 2026/11/01

SPECIFICATIONS

	2.4 GD-6 RB RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6AT	2.4 GD-6 RB SR 6MT	2.4 GD-6 4x4 SR 6MT
Interior, Comfort and Convenience					
Sun Visor	Standard Ticket Holder Driver	Standard Ticket Holder Driver	Standard Ticket Holder Driver	Standard Ticket Holder Driver	Standard Ticket Holder Driver
USB	•	•	•		
Android Auto & Apple CarPlay	•	•	•		
Toyota Connect Enabled	•	•	•	•	•
Safety and Security					
Height Adjustable Seat Belt	Standard Manual	Standard Manual	Standard Manual	Standard Manual	Standard Manual
Anti-Theft System	Immobiliser Alarm / Intrusion Sensor	Immobiliser Alarm / Intrusion Sensor	Immobiliser Alarm / Intrusion Sensor	Immobiliser Alarm / Intrusion Sensor	Immobiliser Alarm / Intrusion Sensor
Auto Door Lock	Standard Speed Dependent	Standard Speed Dependent	Standard Speed Dependent	Standard Speed Dependent	Standard Speed Dependent
Centre Rear Seatbelt	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard 3-Point
Child Lock	•	•	•	•	•
Child Restraint System (ISOFIX)	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2
Emergency Brake Signal	•	•	•	•	•
Parking Brake	Lever	Lever	Lever	Lever	Lever
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Power Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock
Rear Brake	Drum	Drum	Drum	Drum	Drum
Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Seat Belt Warning	Front + Rear Buzzer + Light	Front + Rear Buzzer + Light	Front + Rear Buzzer + Light	Front + Rear Buzzer + Light	Front + Rear Buzzer + Light
Wireless Door Lock	Standard Remote	Standard Remote	Standard Remote	Standard Remote	Standard Remote
Airbags	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee
Driver Support Systems					
Park Distance Control	Standard Front + Rear	Standard Front + Rear	Standard Front + Rear		
Anti-Lock Braking System (ABS)	•	•	•	•	•
Brake Assist (BA)	•	•	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Hill Assist Control (HAC)	•	•	•	•	•
Traction Control (TRC)	Standard,	Standard,	Standard,	Standard,	Standard,
Vehicle Stability Control (VSC)	•	•	•	•	•
Drive Mode Select	Standard Eco / Sport	Standard Eco / Sport	Standard Eco / Sport	Standard Eco / Sport	Standard Eco / Sport
Trailer Sway Control (TSC)	•	•	•	•	•
Limited Slip Differential	•	•	•	•	•
Service and Warranty					
Service Plan	9 Services / 90, 000km	9 Services / 90, 000km	9 Services / 90, 000km	9 Services / 90, 000km	9 Services / 90, 000km

Issued on: 2026/11/01


SPECIFICATIONS

	2.4 GD-6 RB RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6MT	2.4 GD-6 4X4 RAIDER 6AT	2.4 GD-6 RB SR 6MT	2.4 GD-6 4x4 SR 6MT
Service and Warranty					
Service Interval	12 months / 10, 000km	12 months / 10, 000km	12 months / 10, 000km	12 months / 10, 000km	12 months / 10, 000km
Warranty	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km
Dimensions and Capacities					
Front Overhang (mm)	990	985	985	990	985
Front Tread (mm)	1540	1540	1540	1500	1500
Fuel Tank Size (L)	80	80	80	80	80
Gross Combination Mass (GCM)	5530	5850	5850	5530	5850
Gross Vehicle Mass (GVM)	2810	2910	2910	2810	2910
Height (mm)	1815	1815	1815	1815	1815
Length (mm)	5325	5325	5325	5325	5325
Rear Overhang (mm)	1255	1255	1255	1255	1255
Rear Tread (mm)	1550	1550	1550	1510	1510
Towing Capacity - Unbraked (kg)	750	750	750	750	750
Towing Capacity - Braked (kg)	2750	3500	3500	2750	3500
Turning circle (tyres, m)	6.4	6.4	6.4	6.3	6.3
Wheelbase (mm)	3085	3085	3085	3085	3085
Width (mm)	1855	1855	1855	1800	1800
Payload (kg)	865	830	805	875	835
Top Speed (km/h)	175	170	170	175	170

Issued on: 2026/11/01

SPECIFICATIONS

LINE DRAWING



Issued on: 2026/11/01

SPECIFICATIONS

EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE



040 - Glacier White



089 - Platinum White Pearl



1D6 - Chromium Silver



218 - Attitude Black



3T6 - Arizona Red



6X1 - Oxide Bronze

Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors ⟨Pty⟩ Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to ⟨but not limited to⟩ driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors ⟨Pty⟩ Ltd ⟨including its owners, agents, consultants, employees, and any affiliated person⟨s⟩⟩ are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict ⟨breach of a duty of care⟩ or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors ⟨Pty⟩ Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

Issued on: 2026/11/01


HILUX