TOYOTA RUMION

MORE ROOM FOR FUN

Issued on: 2026/11/01

SPECIFICATIONS

	Rumion 1.5 S MT	Rumion 1.5 SX MT	Rumion 1.5 SX AT	Rumion 1.5 TX MT	Rumion 1.5 TX AT
Engine and Drivetrain					
Bore x Stroke (mm)	74 x 85	74 x 85	74 x 85	74 x 85	74 x 85
Displacement (cm^3)	1462	1462	1462	1462	1462
Engine Code	K15BN	K15BN	K15BN	K15BN	K15BN
Fuel System	Petrol	Petrol	Petrol	Petrol	Petrol
Maximum Power (kW @ r/min)	77 @ 6000	77 @ 6000	77 @ 6000	77 @ 6000	77 @ 6000
Maximum Torque (Nm @ r/min)	138 @ 4400	138 @ 4400	138 @ 4400	138 @ 4400	138 @ 4400
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Engine capacity (litre)	1.5	1.5	1.5	1.5	1.5
Fuel Consumption (Combined Cycle) (l/100km)	6.2	6.2	6.2	6.2	6.2
C02 Emission (g/km)	146	146	147	146	147
Transmission					
Transmission	Manual-5-speed	Manual-5-speed	Automatic-4-speed	Manual-5-speed	Automatic-4-speed
Driven Wheels	FWD	FWD	FWD	FWD	FWD
Starting System	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Push Start	Push Start
Suspension					
Front	MacPherson - Strut	MacPherson - Strut	MacPherson - Strut	MacPherson - Strut	MacPherson - Strut
Rear	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam
Wheels and Tyres					
Spare Wheel	Full 185-65 R15 Steel	Full 185-65 R15 Steel	Full 185-65 R15 Steel	Full 185-65 R15 Steel	Full 185-65 R15 Steel
Tyre Size	F:185-65 R15 Steel-R:185-65 R15 Steel	F:185-65 R15 Steel-R:185-65 R15 Steel	F:185-65 R15 Steel-R:185-65 R15 Steel	F:185-65 R15 Alloy-R:185-65 R15 Alloy	F:185-65 R15 Alloy-R:185-65 R15 Alloy
Body and Styling					
Body Colour	Monotone	Monotone	Monotone	Monotone	Monotone
Door Outside Handles	Black	Colour - Coded	Colour - Coded	Chrome - -	Chrome - -
Front Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Headlights	Halogen	Halogen	Halogen	Halogen	Halogen
High-Mounted Brake Light	Standard LED	Standard LED	Standard LED	Standard LED	Standard LED
Side mirrors	Black	Colour Coded, Power, Retractable, With Indicator	Colour Coded, Power, Retractable, With Indicator	Colour Coded, Power, Retractable, With Indicator	Colour Coded, Power, Retractable, With Indicator
Front Grille	Black, Chrome	Black, Chrome	Black, Chrome	Black, Chrome	Black, Chrome
Rear Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Rear Lights	LED	LED	LED	LED	LED
Front Fog Lamps				•	•
Light Control System				Auto Light Control System, Guided Exit Lighting	Auto Light Control System, Guided Exit Lighting
Front Window Wiper	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent
Rear Window Wiper		•	•	•	•
Rear Spoiler	Standard Roof Spoiler	Standard Roof Spoiler	Standard Roof Spoiler	Standard Roof Spoiler	Standard Roof Spoiler

Issued on: 2026/11/01

SPECIFICATIONS

	Rumion 1.5 S MT	Rumion 1.5 SX MT	Rumion 1.5 SX AT	Rumion 1.5 TX MT	Rumion 1.5 TX AT
Interior, Comfort and Convenience					
Assist Grip	Standard 5	Standard 5	Standard 5	Standard 5	Standard 5
Cupholders	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2
Front Headrest	Adjustable - 2	Adjustable - 2	Adjustable - 2	Adjustable - 2	Adjustable - 2
Instrument Panel Trim	Black	Black	Black	Black, Wooden pattern	Black, Wooden pattern
Rear View Mirror	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night
Key Reminder Warning	Standard Buzzer	Standard Buzzer	Standard Buzzer		
Rear Headrests	Adjustable 3	Adjustable 3	Adjustable 3	Adjustable 3	Adjustable 3
2nd Row Seats	60:40 - Manual	60:40 - Manual	60:40 - Manual	60:40 - Manual	60:40 - Manual
Seat Trim	Fabric	Fabric	Fabric	Fabric	Fabric
Shift Lever & Knob	Urethane	Urethane	Urethane	Urethane	Urethane
Speedometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer
Steering Wheel	3 Spoke Urethane	3 Spoke Urethane	3 Spoke Urethane	3 Spoke Leather	3 Spoke Leather
Seat Back Pockets	Standard Driver and Passenger	Standard Driver and Passenger	Standard Driver and Passenger	Standard Driver and Passenger	Standard Driver and Passenger
Cruise Control		•	•	•	•
Airconditioner	Manual	Manual	Manual	Auto	Auto
Footrest	•	•	•	•	•
Front Seat Vertical Adjuster	Driver Manual	Driver Manual	Driver Manual	Driver Manual	Driver Manual
Light Remind Warning	Standard Buzzer	Standard Buzzer	Standard Buzzer	Standard Buzzer	Standard Buzzer
Heater	Manual	Manual	Manual	Auto	Auto
Multi-Information Display	Standard Segment	Standard Segment	Standard Segment	Standard Colour Dot	Standard Colour Dot
Power Socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V
Power Steering	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)
Electric Windows	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only
Steering Column Adjustments	Manual Tilt	Manual Tilt	Manual Tilt	Manual Tilt	Manual Tilt
Sun Visor	Standard Ticket Holder Driver	Standard Ticket Holder Driver, Passenger Mirror without Cover	Standard Ticket Holder Driver, Passenger Mirror without Cover	Standard Ticket Holder Driver, Passenger Mirror without Cover	Standard Ticket Holder Driver, Passenger Mirror without Cover
Audio System		Toyota Display Audio	Toyota Display Audio	Toyota Display Audio	Toyota Display Audio
Reverse Camera		Display Audio	Display Audio	Display Audio	Display Audio
Bluetooth		•	•	•	•
Front Armrest		•	•	•	•
Rear Airconditioner		Standard Air Vents	Standard Air Vents	Standard Air Vents	Standard Air Vents
Speakers		Standard 4	Standard 4	Standard 6	Standard 6

Issued on: 2026/11/01

SPECIFICATIONS

	Rumion 1.5 S MT	Rumion 1.5 SX MT	Rumion 1.5 SX AT	Rumion 1.5 TX MT	Rumion 1.5 TX AT
Interior, Comfort and Convenience					
Steering Switches		Standard Audio, Telephone, Cruise Control	Standard Audio, Telephone, Cruise Control	Standard Audio, Telephone, Cruise Control	Standard Audio, Telephone, Cruise Control
USB		Standard 3	Standard 3	Standard 5	Standard 5
Toyota Connect Enabled	•	•	•	•	•
Android Auto & Apple CarPlay		•	•	•	•
USB Type A		Standard 1PC	Standard 1PC	Standard 1PC	Standard 1PC
USB Type C		Standard 2PCs	Standard 2PCs	Standard 4PCs	Standard 4PCs
Safety and Security					
Height Adjustable Seat Belt	Standard Manual	Standard Manual	Standard Manual	Standard Manual	Standard Manual
Anti-Theft System	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm
Centre Rear Seatbelt	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard 3-Point
Child Lock	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door
Child Restraint System (ISOFIX)	•	•	•	•	•
Parking Brake	Lever	Lever	Lever	Lever	Lever
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Rear Brake	Drum Leading and Trailing	Drum Leading and Trailing	Drum Leading and Trailing	Drum Leading and Trailing	Drum Leading and Trailing
Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Seat Belt Warning	Front Buzzer + Light	Front Buzzer + Light	Front Buzzer + Light	Front Buzzer + Light	Front Buzzer + Light
Wireless Door Lock	Standard Remote	Standard Remote	Standard Remote	Standard Remote	Standard Remote
Airbags	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger
Rear Window Demister		•	•	•	•
Driver Support Systems					
Park Distance Control	Standard Rear	Standard Rear	Standard Rear	Standard Rear	Standard Rear
Anti-Lock Braking System (ABS)	•	•	•	•	•
Brake Assist (BA)	•	•	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Vehicle Stability Control (VSC)	•	•	•	•	•
Hill Assist Control (HAC)			•		•
Service and Warranty					
Service Plan	4 Services / 60, 000km	4 Services / 60, 000km	4 Services / 60, 000km	4 Services / 60, 000km	4 Services / 60, 000km
Service Interval	12 months / 15, 000km	12 months / 15, 000km	12 months / 15, 000km	12 months / 15, 000km	12 months / 15, 000km
Warranty	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km
Dimensions and Capacities					
Front Tread (mm)	1510	1510	1510	1510	1510
Fuel Tank Size (L)	45	45	45	45	45

Issued on: 2026/11/01


SPECIFICATIONS

	Rumion 1.5 S MT	Rumion 1.5 SX MT	Rumion 1.5 SX AT	Rumion 1.5 TX MT	Rumion 1.5 TX AT
Dimensions and Capacities					
Gross Combination Mass (GCM)	2720	2720	2730	2720	2730
Ground Clearance (mm)	180	180	180	180	180
Gross Vehicle Mass (GVM)	1720	1720	1730	1720	1730
Height (mm)	1690	1690	1690	1690	1690
Kerb Weight (kg)	1155 - 1190	1155 - 1190	1155 - 1190	1155 - 1190	1155 - 1190
Length (mm)	4460	4460	4460	4460	4460
Lugagge Capacity (L)	800	800	800	800	800
Rear Overhang (mm)	925	925	925	925	925
Rear Tread (mm)	1520	1520	1520	1520	1520
Towing Capacity - Unbraked (kg)	550	550	550	550	550
Towing Capacity - Braked (kg)	1000	1000	1000	1000	1000
Turning circle (tyres, m)	5.2	5.2	5.2	5.2	5.2
Wheelbase (mm)	2740	2740	2740	2740	2740
Width (mm)	1735	1735	1735	1735	1735
Top Speed (km/h)	175	175	170	175	170

Issued on: 2026/11/01

SPECIFICATIONS

LINE DRAWING



Issued on: 2026/11/01

SPECIFICATIONS

EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE



ZHJ - Mystic Pearl White



ZYA - Azure Blue



Z7Q - Seal Grey Metallic



ZYY - Autumn Blaze Red



WBE - Premium Liquid Silver



ZQK - Cedar Brown



WB3 - Sonic Black Pearl

Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors ⟨Pty⟩ Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to ⟨but not limited to⟩ driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors ⟨Pty⟩ Ltd ⟨including its owners, agents, consultants, employees, and any affiliated person⟨s⟩⟩ are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict ⟨breach of a duty of care⟩ or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors ⟨Pty⟩ Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

Issued on: 2026/11/01


TOYOTA
RUMION
TOYOTA
RUMION