TOYOTA
LAND CRUISER 76



STILL THE MASTER

Issued on: 2026/11/01

SPECIFICATIONS

	LC76 2.8 GD-6 S/W VX AT	LC76 2.8 GD-6 S/W AT	LC76 2.8 GD-6 S/W MT	LC78 4.2 Diesel Wagon MT
Engine and Drivetrain				
1st Gear Ratio	3.600	3.600	4.773	4.313
2nd Gear Ratio	2.090	2.090	2.597	2.330
3rd Gear Ratio	1.488	1.488	1.570	1.436
4th Gear Ratio	1.000	1.000	1.000	1.000
5th Gear Ratio	0.688	0.688	0.775	0.838
6th Gear Ratio	0.581	0.581		
Battery	105D31R	105D31R		
Bore x Stroke (mm)	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	94x100
Catalytic Converter	Without 7R13R13R	Without 7R13R13R	Without 7R13R13R	
Clutch Accumulator			•	•
Compression Ratio	15.6 : 1	15.6 : 1	15.6 : 1	22.4 : 1
Differential Gear Ratio	4.300	4.300	4.100	4.300
Differential Lock	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Displacement (cm^3)	2755	2755	2755	4164
Emission Control	Euro 2	Euro 2	Euro 2	Euro 2
Engine Code	1GD-FTV	1GD-FTV	1GD-FTV	1HZ
Engine Coolant	LLC 50%	LLC 50%	LLC 50%	LLC 50%
Engine Monitor Warning	•	•	•	
Engine Oil Cooler	•	•	•	•
Engine Oil Level Warning	•	•	•	
Engine capacity (litre)	2.8	2.8	2.8	4.2
Free Wheel Hub	•	•	•	•
Fuel Filter	•	•	•	•
Fuel Heater	•	•	•	•
Fuel Sedimenter (lamp)	•	•	•	•
Fuel System	Diesel Common Rail	Diesel Common Rail	Diesel Common Rail	Diesel
Maximum Power (kW @ r/min)	150 @ 3000	150 @ 3000-3400	150 @ 3200-3400	96 @ 3800
Maximum Torque (Nm @ r/min)	500 @ 1600	500 @ 1600-2800	450 @ 2400-3000	285 @ 2200
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-6
Radiator	583.3X620X34 FP=3.0	583.3X620X34 FP=3.0	583.3X620X34 FP=3.0	514.4X560X48FP=3.5
Reverse Gear ratio	3.732	3.732	4.545	4.220

Issued on: 2026/11/01

SPECIFICATIONS

	LC76 2.8 GD-6 S/W VX AT	LC76 2.8 GD-6 S/W AT	LC76 2.8 GD-6 S/W MT	LC78 4.2 Diesel Wagon MT
Engine and Drivetrain				
Stabilizer	Front Only	Front Only	Front Only	Front + Rear
Timing Belt Warning				•
Tool Set	Basic	Basic	Basic	Basic
Transfer Case	•	•	•	•
Turbo Charger	•	•	•	
Valve Mechanism	16, DOHC	16, DOHC	16, DOHC	12, SOHC
Fuel Consumption (Combined Cycle) (l/100km)	9.8	9.8	7.7	11.9
C02 Emission (g/km)	258	258	201	313
Transmission				
Transmission	Automatic-6-speed	Automatic-6-speed	Manual-5-speed	Manual-5-speed
Driven Wheels	4WD	4WD	4WD	4WD
Suspension				
Front	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)
Rear	Rigid-Axle-(Leaf)	Rigid-Axle-(Leaf)	Rigid-Axle-(Leaf)	Rigid-Axle-(Leaf)
Wheels and Tyres				
Spare Wheel	Full 265-70R16Alloy	Full 265-70R16Alloy	Full 265-70R16Alloy	Full 7.50R-8E 5.50F Steel
Tyre Size	F:265-70R16Alloy R:265-70R16Alloy	F:265-70R16Alloy R:265-70R16Alloy	F:265-70R16Alloy R:265-70R16Alloy	F:7.50R-8E 5.50F Steel- R:7.50R-8E 5.50F Steel
Spare Wheel Carrier	Rear Door	Rear Door	Rear Door	Rear Door
Body and Styling				
Antenna	•	•	•	•
Body Colour	Monotone	Monotone	Monotone	Monotone
Deck Hook	•	•	•	
Engine Under Cover & Protector	•	•	•	•
Front Bumper	Black Steel	Black + Plated	Black + Plated	Black
Front Fog Lamps	Standard LED	Standard LED	Standard LED	Standard LED
Front Grille	Material	Material	Material	Material
Front Window Wiper	Intermittent	Intermittent	Intermittent	•
Grade Mark	Standard VX	Standard LX	Standard LX	
Headlights	Halogen	Halogen	Halogen	Halogen
High-Mounted Brake Light	•	•	•	•
Luggage Boot / Rear Door	•	•	•	Standard Manual
Over-Fenders	•	•	•	
Rear Bumper	Plated	Plated	Plated	Black
Rear Window Wiper	Intermittent	Intermittent	Intermittent	
Side mirrors	Black	Black	Black	Black

Issued on: 2026/11/01

SPECIFICATIONS

	LC76 2.8 GD-6 S/W VX AT	LC76 2.8 GD-6 S/W AT	LC76 2.8 GD-6 S/W MT	LC78 4.2 Diesel Wagon MT
Body and Styling				
Tow Hook	Standard 2	Standard 2	Standard 2	Standard 2
Windshield Glass	Laminated, Green, Shade Band	Laminated, Green, Shade Band	Laminated, Green, Shade Band	Laminated, Green
Side Step	Standard Aluminium	Standard Aluminium	Standard Aluminium	Standard Black
Interior, Comfort and Convenience				
4WD Selector	Standard Lever	Standard Lever	Standard Lever	Standard Lever
Assist Grip	Standard 7	Standard 7	Standard 7	Standard 5
Centre Console	Standard Front	Standard Front, Rear	Standard Rear	Standard Rear
Clock	Standard Digital	Standard Digital	Standard Digital	Standard Digital
Cupholders	•	•	•	•
Door Pockets	•	•	•	
Floor Carpet Trim	Carpet	Carpet	Carpet	PVC
Front Headrest	Adjustable - 2	Adjustable - 2	Adjustable - 2	Adjustable
Glove Box	Lockable	Lockable	Lockable	Lockable
Rear Headrests	Adjustable 3	Adjustable 3	Adjustable 3	Adjustable 2
Rear View Mirror	Day & Night	Day & Night	Day & Night	Day & Night
Room Lamp	•	•	•	•
Seat Back Pockets	Standard Driver and Passenger	Standard Driver and Passenger	Standard Driver and Passenger	
Seat Trim	Full Leather	Fabric	Fabric	Vinyl
Shift Lever & Knob	Urethane	Urethane	Urethane	Urethane
Speedometer	Analog	Analog	Analog	Analog
Steering Wheel	4 Spoke Leather+Wood	4 Spoke Leather+Wood	4 Spoke Leather+Wood	4 Spoke Urethane
Water Temperature Meter	•	•	•	•
Airconditioner	Manual	Manual	Manual	Manual
Android Auto & Apple Carplay Connection	Standard Wireless Android Auto, Wireless Apple CarPlay	Standard Wireless Android Auto, Wireless Apple CarPlay	Standard Wireless Android Auto, Wireless Apple CarPlay	•
Audio System	Toyota Display Audio	Toyota Display Audio	Toyota Display Audio	Toyota Display Audio
Bluetooth	•	•	•	•
Cruise Control	•	•	•	
Door Ajar Warning	•	•	•	•
Electric Windows	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only
Footrest	•	•	•	•
Front Armrest	•	•		•
Front Seat Adjustment	Manual	Manual	Manual	Manual

Issued on: 2026/11/01

SPECIFICATIONS

	LC76 2.8 GD-6 S/W VX AT	LC76 2.8 GD-6 S/W AT	LC76 2.8 GD-6 S/W MT	LC78 4.2 Diesel Wagon MT
Interior, Comfort and Convenience				
Heater	Manual	Manual	Manual	Manual
Power Socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V
Power Steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Reverse Camera	Display Audio			
Speakers	Standard 6	Standard 4	Standard 4	Standard 2
Steering Column Adjustments	Manual Tilt & Telescopic, Collapsible	Manual Tilt & Telescopic, Collapsible	Manual Tilt & Telescopic, Collapsible	Manual Tilt & Telescopic, Collapsible
Sun Visor	•	•	•	•
Toyota Connect Enabled	•	•	•	•
USB	Standard 3	Standard 3	Standard 3	Standard 1
USB Type A	Standard 1PC	Standard 1PC	Standard 1PC	Standard 1PC
USB Type C	Standard 2PCs	Standard 2PCs	Standard 2PCs	
Safety and Security				
Anti-Theft System	Siren Alarm + Immobiliser	Siren Alarm + Immobiliser	Siren Alarm + Immobiliser	Siren Alarm + Immobiliser
Centre Rear Seatbelt	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard Lap
Child Lock	•	•	•	
Front Airbag(s)	Standard Driver + Passenger	Standard Driver + Passenger	Standard Driver + Passenger	Standard Driver + Passenger
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR	ELR	ELR	ELR
Power Door Lock	Standard	Standard	Standard	Standard
Rear Brake	Drum	Drum	Drum	Drum
Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Rear Window Demister	•	•	•	
Spare Wheel Anti-Theft Lock	•	•	•	•
Wireless Door Lock	Standard Remote	Standard Remote	Standard Remote	•
Parking Brake			Lever	
Driver Support Systems				
Anti-Lock Braking System (ABS)	•	•	•	•
Brake Assist (BA)	•	•	•	•
Downhill Assist Control (DAC)	•	•	•	•
Electronic Brake Force Distribution (EBD)	•			
Hill Assist Control (HAC)	•	•	•	•
Traction Control (TRC)	Standard, , Active Traction Control (ATRC)	Standard, , Active Traction Control (ATRC)	Standard, , Active Traction Control (ATRC)	Standard, , Active Traction Control (ATRC)
Vehicle Stability Control (VSC)	•	•	•	

Issued on: 2026/11/01


SPECIFICATIONS

	LC76 2.8 GD-6 S/W VX AT	LC76 2.8 GD-6 S/W AT	LC76 2.8 GD-6 S/W MT	LC78 4.2 Diesel Wagon MT
Service and Warranty				
Service Interval	12 months / 10, 000km	12 months / 10, 000km	12 months / 10, 000km	12 months / 5, 000km
Service Plan	9 Services / 90, 000km	9 Services / 90, 000km	9 Services / 90, 000km	18 Services / 90000 km
Warranty	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km	3 years / 100, 000km
Dimensions and Capacities				
Approach Angle (°)	33.0	33.0	33.0	38.0
Departure Angle (°)	23.0	23.0	23.0	25.0
Front Overhang (mm)	860	860	860	850
Front Tread (mm)	1555	1555	1555	1515
Fuel Tank Size (L)	130	130	130	90
Gross Combination Mass (GCM)	6560	6560	6560	4700
Gross Vehicle Mass (GVM)	3060	3060	3060	3200
Ground Clearance (mm)	230	230	230	235
Height (mm)	1955	1955	1955	2120
Interior Height (mm)	1215	1215	1215	1205
Interior Length (mm)	1700	1700	1700	980
Interior Width (mm)	1515	1515	1515	1495
Kerb Weight (kg)	2265-2485	2265-2485	2265-2485	2250
Length (mm)	4910	4910	4910	5130
Rear Overhang (mm)	1280	1280	1280	1300
Rear Tread (mm)	1460	1460	1460	1420
Towing Capacity - Braked (kg)	3500	3500	3500	1500
Towing Capacity - Unbraked (kg)	750	750	750	750
Turning circle (tyres, m)	6.3	6.3	6.3	6.8
Washer Tank (l)	3.0	3.0	3.0	3.0
Wheelbase (mm)	2730	2730	2730	2980
Width (mm)	1870	1870	1870	1795
Top Speed (km/h)	150	150	150	145

Issued on: 2026/11/01

SPECIFICATIONS

LINE DRAWING



Issued on: 2026/11/01

SPECIFICATIONS

EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE



058 - Ivory White



1F7 - Satin Silver Metallic



1G3 - Graphite Grey Metallic



3Q3 - Ruby Metallic



4E9 - Sand Beige



8H6 - Dark Blue

Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors ⟨Pty⟩ Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to ⟨but not limited to⟩ driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors ⟨Pty⟩ Ltd ⟨including its owners, agents, consultants, employees, and any affiliated person⟨s⟩⟩ are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict ⟨breach of a duty of care⟩ or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors ⟨Pty⟩ Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

Issued on: 2026/11/01


LX
TOYOTA 4WD
LAND CRUISER 76